

## KÄRCHER KM 130/300 R D CLASSIC

The durable KM 130/300 R Classic industrial sweeper is equipped for tough use in building material, metal and cast metal processing plants, and other dirt-intensive industries.

The reliable sit-on sweeper can be operated comfortably and easily using the levers. The sweeping container is emptied using hydraulic container lift. The enormous capacity of the sweeping container is 300 L, allowing long periods of uninterrupted use. The machine is equipped for intensive use under the toughest conditions thanks to the robust steel chassis with multiple corrosion protection.

The hydraulic rear-wheel drive ensures good manoeuvrability even in tight spaces. Another feature is the Flexible Footprint System which guarantees optimal sweeping results on varying types of floor surface – and all this with reduced brush wear. In case of maintenance and repairs, all the technical components are easily accessible. The standard solid rubber tyres stop interruptions caused by flat tyres and make sweeping on all types of ground possible.

### Features:

#### *Hydraulic rear-wheel drive with solid rubber tyres*

- Good manoeuvrability and control even in tight spaces.
- Works even on sharp surfaces without causing tyre punctures.
- Clear and intuitive layout and robust control elements for easy operation.

#### *Large-area pocket filter with vibration motor*

- Large filter area for dust-free vacuuming.
- Cleaning by means of vibration motor.

#### *Robust steel chassis with multiple corrosion protection*

- Can be used in tough working conditions.
- Durable machine and components.

#### *Ease of servicing*

- Simple technology with tried and tested components: fully hydraulic drive, electric instead of electronic.
- Easy access to all technical components.

#### *Hydraulic high dump system*

- Waste can be emptied safely, easily and with no contact.
- Effortless container lift up to 1.52 m.

#### *Dustpan principle*

- Good intake of fine and coarse waste.
- Low dust dispersion.

### Standard Features / Accessories

Suction  
Operating hour counter  
Traction Drive, hydraulic  
Reverse traction drive  
Forward traction drive  
Adjustable main sweeper roller  
Hydraulic high container emptying  
Sweeping function, can be switched off  
Dustpan principle  
Manual filter cleaning  
Pedal\_Gas\_Brake  
Solid rubber wheels  
Adjustable suction power  
Power steering  
Pocket filter

Part no. 1.186-139.0

### TECHNICAL SPECIFICATIONS

Drive	4-stroke diesel engine / Yanmar
Drive performance	15,8 kW
Theoretical area performance	13000 ft <sup>2</sup> /hr
Practical area performance	10400 ft <sup>2</sup> /hr
Working width	1000 mm
Working width with one side brush	1300 mm
Working width with two side brushes	1550 mm
Waste container	300 l
Climbing ability	18 %
Working speed	10 km/h
High container emptying	1,52 m
Filter area	7,8 m <sup>2</sup>
Weight	940 kg
Dimensions (L × W × H)	1250 x 1430 mm
Drive type	Diesel

